

NECROTIC

HEALTHY AREA


**HEMORRHAGIC
AREA**

**LESS
HEALTHY AREA**

ANIMAL DIED

FIG.1A

POSTOPERATIVE DAY: 5



NECROTIC



HEALTHY AREA



HEMORRHAGIC
AREA



LESS
HEALTHY AREA



ANIMAL DIED

FIG.1B

POSTOPERATIVE DAY: 7





FIG.1C





FIG.1D

POSTOPERATIVE DAY: 9



 NECROTIC

 HEALTHY AREA


 HEMORRHAGIC
AREA

 LESS
HEALTHY AREA

 ANIMAL DIED

FIG.1E

POSTOPERATIVE DAY: 10



NECROTIC

HEALTHY AREA

HEMORRHAGIC
AREA

LESS
HEALTHY AREA

ANIMAL DIED

FIG.1F




FIG.2A




FIG.2B

DAY 14



























	MOUSE #1	MOUSE #2	
NO TREATMENT			
BUFFER INTRODUCED INTRADERMALLY			
BUFFER INTRODUCED SUBCUTANEOUSLY			
1 μ g gp96 ADMINISTERED INTRADERMALLY			
10 μ g gp96 ADMINISTERED INTRADERMALLY			 NECROTIC
10 μ g gp96 ADMINISTERED SUBCUTANEOUSLY			 HEMORRHAGIC AREA
100 μ g gp96 ADMINISTERED INTRADERMALLY			 GRAFT FALLEN OFF; UNDERLYING WOUND VISABLE
100 μ g gp96 ADMINISTERED SUBCUTANEOUSLY			 HEALTHY AREA
200 μ g gp96 ADMINISTERED SUBCUTANEOUSLY			 LESS HEALTHY AREA
10 μ g OF RAT gp96 ADMINISTERED INTRADERMALLY			 ANIMAL DIED

FIG.2C

DAY 16



























	MOUSE #1	MOUSE #2	
NO TREATMENT			
BUFFER INTRODUCED INTRADERMALLY			
BUFFER INTRODUCED SUBCUTANEOUSLY			
1 μ g gp96 ADMINISTERED INTRADERMALLY			
10 μ g gp96 ADMINISTERED INTRADERMALLY			 NECROTIC
10 μ g gp96 ADMINISTERED SUBCUTANEOUSLY			 HEMORRHAGIC AREA
100 μ g gp96 ADMINISTERED INTRADERMALLY			 GRAFT FALLEN OFF; UNDERLYING WOUND VISABLE
100 μ g gp96 ADMINISTERED SUBCUTANEOUSLY			 HEALTHY AREA
200 μ g gp96 ADMINISTERED SUBCUTANEOUSLY			 LESS HEALTHY AREA
10 μ g OF RAT gp96 ADMINISTERED INTRADERMALLY			 ANIMAL DIED

FIG.2D

DAY 19



























	MOUSE #1	MOUSE #2	
NO TREATMENT			
BUFFER INTRODUCED INTRADERMALLY			
BUFFER INTRODUCED SUBCUTANEOUSLY			
1 μ g gp96 ADMINISTERED INTRADERMALLY			
10 μ g gp96 ADMINISTERED INTRADERMALLY			 NECROTIC
10 μ g gp96 ADMINISTERED SUBCUTANEOUSLY			 HEMORRHAGIC AREA
100 μ g gp96 ADMINISTERED INTRADERMALLY			 GRAFT FALLEN OFF; UNDERLYING WOUND VISABLE
100 μ g gp96 ADMINISTERED SUBCUTANEOUSLY			 HEALTHY AREA
			 LESS HEALTHY AREA
200 μ g gp96 ADMINISTERED SUBCUTANEOUSLY			 ANIMAL DIED
10 μ g OF RAT gp96 ADMINISTERED INTRADERMALLY			

FIG.2E




FIG.3A




FIG.3B




FIG.4A




FIG.4B




FIG.5A




FIG.5B




FIG.6A




FIG.6B




FIG.7A




FIG.7B